




| REV. | CONTENTS | DATE | NAME |
|------|----------|------|------|
| △ | | | |



ビニル絶縁絶縁コード φ5 6芯
 導体断面積:0.2mm² 標準2m


6pin 防水プラスチックコネクタ



| No. | DESCRIPTION | MATERIAL | | STANDARD | FINISH | |
|---------------------------------|-------------|-------------------------------|-------------------------------|---------------------|--------|------------|
| SCALE */* | UNIT mm | DATE 2003-11/13 | | TITLE 外形図 | | APP. |
| APPROVED | CHECKED | DRAWN | DESIGNED | | | |
| 03-11/17 ASTEX T.Fukuyama | | 03-11/13 ASTEX T.Tomita | 03-11/13 ASTEX T.Tomita | DWG No. DG-91660 | | REV. △* |




| REV. | CONTENTS | DATE | NAME |
|------|----------|------|------|
| △ | | | |



| No. | DESCRIPTION | MATERIAL | STANDARD | FINISH | |
|------------|-------------|-----------------|----------|------------------|------|
| SCALE */* | UNIT mm | DATE 2003-11/13 | TITLE | | APP. |
| APPROVED | CHECKED | DRAWN | DESIGNED | 外形図 | |
| 03-11/17 | | 03-11/13 | 03-11/13 | | |
| ASTEX | | ASTEX | ASTEX | DWG No. DG-91661 | |
| T.Fukuyama | | T.Tomita | T.Tomita | REV. * | |



| REV. | CONTENTS | DATE | NAME |
|------|----------|------|------|
| △ | | | |



| No. | DESCRIPTION | MATERIAL | STANDARD | FINISH |
|-------------------------|-------------|-----------------|----------|-----------|
| SCALE */* | UNIT mm | DATE 2003-11/13 | TITLE | APP. |
| APPROVED | CHECKED | DRAWN | DESIGNED | |
| 03-11/17 | | 03-11/13 | 03-11/13 | |
| ASTEX | | ASTEX | ASTEX | |
| T.Fukuyama | | T.Tomita | T.Tomita | |
| DWG No. 外形図 DG-91662 | | | | REV. * |